


2015 EGRESS WINDOW WORKSHEET

Check Window Height and Width



- 1) Is the clear openable height, **H** at least 24 inches?
- 2) Is the clear openable height, **W** at least 20 inches?

	S		Yes <input type="checkbox"/>	No <input type="checkbox"/>
			Yes <input type="checkbox"/>	No <input type="checkbox"/>

3) Check Window Opening Area (fill in the four blanks):

$$\begin{array}{ccccccc}
 \mathbf{H} & \underline{\quad} & \times & \mathbf{W} & \underline{\quad} & = & \mathbf{A} & \underline{\quad} & \div & 144 \text{ sq in} & = & \underline{\quad} \\
 \text{Openable height (inches)} & & & \text{Openable width (inches)} & & & \text{Openable area (square inches)} & & & & & \mathbf{5.7}(\text{square feet})
 \end{array}$$

Is the clear openable area **A** at least 820 square inches? (R310.1.1) Yes No


* Check for approval on R310.1.1 exception.

4) Check the distance from the floor to the bottom of opening (R310.1).

Is the distance, **S** from the floor to the finished sill? Yes No

(bottom of opening) 44" inches or less?

If you answered yes to all four questions then the window should comply with 2015 Minnesota Residential Code.



This handout is written as a guide to common questions and concerns. It is not intended nor shall it be considered a complete set of requirements.